

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:51
L2	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L3	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L4	26602	L3 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L5	7437	L4 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L6	7181	L5 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L7	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L8	122	L7 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L9	70	L7 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L10	0	L7 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L11	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L12	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L13	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L14	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L15	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L16	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L17	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L18	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L19	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L20	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L21	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L22	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L23	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L24	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L25	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L26	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L27	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L28	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L29	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L30	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L31	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L32	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L33	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L34	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L35	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L36	36	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L37	8	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L38	8	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51

L39	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L40	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L41	15	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:51
L42	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L43	40	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L44	5	707/10.ccls. and L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L45	7	707/3.ccls. and L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L46	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:52
L47	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L48	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L49	26602	L48 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L50	7437	L49 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L51	7181	L50 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L52	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L53	122	L52 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L54	70	L52 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L55	0	L52 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L56	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L57	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L58	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L59	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L60	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L61	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L62	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L63	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L64	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L65	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L66	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L67	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L68	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L69	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L70	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L71	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L72	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L73	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L74	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L75	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L76	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L77	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L78	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L79	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L80	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L81	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L82	8	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L83	8	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L84	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L85	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L86	15	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L87	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L88	40	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L89	5	707/10.ccls. and L88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L90	7	707/3.ccls. and L88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L91	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L92	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L93	295	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L94	204	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L95	170	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L96	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L97	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L98	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L99	38	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L100	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L101	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L102	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L103	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L104	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L105	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L106	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L107	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L108	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L109	8	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L110	145	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L111	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L112	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L113	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L114	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:52
L115	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L116	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L117	26602	L116 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L118	7437	L117 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L119	7181	L118 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L120	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L121	122	L120 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L122	70	L120 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L123	0	L120 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L124	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L125	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L126	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L127	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L128	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L129	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L130	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L131	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L132	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L133	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L134	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L135	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L136	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L137	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L138	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L139	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L140	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L141	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L142	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L143	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L144	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L145	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L146	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L147	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L148	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L149	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52

L150	8	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L151	8	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L152	8	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L153	64	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L154	15	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:52
L155	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L156	40	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L157	5	707/10.ccls. and L156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L158	7	707/3.ccls. and L156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L159	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L160	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L161	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L162	36	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L163	8	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L164	8	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L165	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L166	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L167	15	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L168	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L169	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L170	5	707/10.ccls. and L169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L171	7	707/3.ccls. and L169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L172	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L173	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L174	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L175	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L176	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L177	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L178	26602	L177 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L179	7437	L178 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L180	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L181	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L182	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L183	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L184	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L185	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L186	122	L185 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L187	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L188	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L189	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L190	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L191	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L192	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53

L193	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L194	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L195	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L196	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L197	7181	L179 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L198	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L199	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L200	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L201	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L202	70	L185 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L203	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L204	0	L185 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L205	295	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L206	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L207	204	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L208	170	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L209	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L210	38	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L211	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L212	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L213	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L214	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L215	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L216	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L217	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L218	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L219	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L220	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L221	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L222	42	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L223	2	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L224	16	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L225	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53

L226	4	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L227	23502	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L228	1158	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L229	1551	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L230	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L231	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L232	2	((trans\$4 or copy or download) with client with server with files) and (delet \$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L233	2888	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L234	1305	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L235	391	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L236	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L237	7	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L238	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L239	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L240	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L241	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:53
L242	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L243	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L244	26602	L243 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53

L245	7437	L244 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L246	7181	L245 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L247	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L248	122	L247 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L249	70	L247 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L250	0	L247 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L251	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L252	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:53
L253	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L254	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L255	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L256	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L257	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L258	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L259	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L260	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L261	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L262	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L263	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L264	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L265	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L266	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L267	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L268	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L269	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L270	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L271	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L272	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L273	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L274	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L275	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L276	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L277	8	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L278	8	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L279	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L280	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L281	15	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L282	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L283	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L284	5	707/10.ccls. and L283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L285	7	707/3.ccls. and L283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L286	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L287	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L288	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L289	36	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L290	8	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L291	8	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L292	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L293	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L294	15	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L295	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L296	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L297	5	707/10.ccls. and L296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L298	7	707/3.ccls. and L296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L299	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L300	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L301	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L302	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L303	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L304	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L305	26602	L304 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L306	7437	L305 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L307	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L308	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L309	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L310	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L311	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L312	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L313	122	L312 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54

L314	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L315	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L316	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L317	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L318	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L319	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:54

L320	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L321	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L322	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L323	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L324	7181	L306 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L325	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:54
L326	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L327	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L328	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L329	70	L312 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L330	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L331	0	L312 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L332	295	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L333	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L334	204	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L335	170	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L336	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L337	38	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L338	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L339	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L340	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L341	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L342	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L343	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L344	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L345	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L346	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L347	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L348	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L349	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L350	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L351	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L352	8	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L353	145	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L354	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:55
L355	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L356	26602	L355 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L357	7437	L356 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L358	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L359	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L360	122	L359 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L361	7181	L357 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L362	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L363	0	L359 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L364	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L365	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L366	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L367	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L368	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L369	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L370	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L371	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L372	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L373	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L374	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L375	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L376	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L377	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L378	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L379	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L380	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L381	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L382	5	707/10.ccls. and L381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L383	7	707/3.ccls. and L381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L384	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L385	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L386	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L387	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L388	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L389	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L390	26602	L389 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L391	7437	L390 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L392	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L393	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L394	5	707/10.ccls. and L388	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L395	7	707/3.ccls. and L388	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L396	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L397	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L398	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L399	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L400	122	L399 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L401	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L402	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L403	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L404	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L405	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55

L406	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L407	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:55
L408	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L409	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L410	7181	L391 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:55
L411	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L412	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L413	0	L399 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L414	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L415	204	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L416	170	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L417	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L418	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L419	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L420	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L421	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L422	1	"20020095454" and ((search or query) near2 (provider adj database)) and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L423	70	L359 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L424	38	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L425	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L426	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L427	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L428	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L429	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L430	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L431	40	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L432	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L433	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L434	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L435	8	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L436	8	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L437	64	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L438	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L439	8	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L440	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L441	15	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L442	8	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L443	8	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L444	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L445	15	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L446	8	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L447	64	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L448	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L449	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L450	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L451	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L452	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) with (query or search)) and ((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L453	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L454	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L455	28	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L456	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L457	70	L399 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L458	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L459	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L460	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L461	295	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L462	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56

L463	4	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L464	2	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L465	42	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L466	16	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L467	1158	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L468	23502	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L469	1551	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L470	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L471	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56

L472	2	((trans\$4 or copy or download) with client with server with files) and (delet \$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L473	391	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L474	1305	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L475	2888	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L476	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L477	7	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L478	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L479	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L480	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L481	2	subscribe\$1publish adj (model or channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56

L482	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:56
L483	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:56
L484	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L485	26602	L243 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L486	7437	L244 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L487	7181	L245 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L488	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L489	122	L247 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L490	0	L247 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L491	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L492	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L493	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L494	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L495	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L496	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L497	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L498	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L499	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L500	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L501	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L502	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L503	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L504	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L505	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L506	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L507	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L508	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L509	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L510	5	707/10.ccls. and L283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L511	7	707/3.ccls. and L283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L512	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L513	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L514	36	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L515	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L516	40	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L517	5	707/10.ccls. and L296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L518	7	707/3.ccls. and L296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L519	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L520	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L521	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L522	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L523	26602	L304 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L524	7437	L305 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L525	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L526	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L527	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L528	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L529	122	L312 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L530	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L531	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L532	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L533	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L534	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L535	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:57
L536	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L537	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L538	7181	L306 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L539	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L540	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L541	0	L312 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L542	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L543	204	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L544	170	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L545	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L546	38	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57

L547	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L548	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L549	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L550	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L551	0	(PDA with (mail adj server)) with (local adj database) and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L552	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:57
L553	145	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L554	0	("((remoteorserver) withdatabase) and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:58
L555	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L556	26602	L355 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L557	7437	L356 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L558	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L559	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L560	122	L359 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L561	7181	L357 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L562	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L563	0	L359 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L564	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L565	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L566	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L567	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L568	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L569	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L570	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L571	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L572	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L573	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L574	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L575	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L576	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L577	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L578	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L579	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L580	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L581	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L582	5	707/10.ccls. and L381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L583	7	707/3.ccls. and L381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L584	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L585	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L586	36	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L587	7221	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L588	40	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L589	45364	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L590	26602	L389 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L591	7437	L390 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L592	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L593	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L594	5	707/10.ccls. and L388	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L595	7	707/3.ccls. and L388	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L596	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L597	55976	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L598	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L599	3094	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L600	122	L399 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L601	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L602	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L603	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L604	48	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L605	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L606	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L607	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 21:58
L608	1066	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L609	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L610	7181	L391 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L611	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58

L612	84	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L613	0	L399 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L614	1743	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L615	2	"20030110190" or "20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:58
L616	1	"20030110190" or "2003011190"	US-PGPUB	OR	ON	2008/12/01 21:58
L617	1	"20030110190" or "20030110190"	US-PGPUB	OR	ON	2008/12/01 21:58
L618	2	"20030110190" or "20030097358"	US-PGPUB	OR	ON	2008/12/01 21:59
L619	1	"20050108558" or "20050108558"	US-PGPUB	OR	ON	2008/12/01 21:59
L620	4	"20030110190" or "20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 21:59
L621	2	"20030110190" or "20050108558"	US-PGPUB	OR	ON	2008/12/01 21:59
L622	2	"20030110190" or "20030097358"	US-PGPUB	OR	ON	2008/12/01 21:59
S1	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 19:32
S2	35458	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:33

S3	29014	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S4	23458	S3 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 08:28
S5	6369	S4 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S6	6146	S5 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S7	2689	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:41
S8	107	S7 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:39
S9	65	S7 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:40
S10	0	S7 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:40
S11	67	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:43
S12	23	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:43

S13	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 08:58
S14	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:01
S15	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:02
S16	876	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:02
S17	37	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:03
S18	31	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:27
S19	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:22

S20	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:22
S21	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25
S22	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25
S23	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25
S24	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:26
S25	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:26

S26	4	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:56
S27	6	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:56
S28	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:30
S29	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:33
S30	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:33

S31	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:38
S32	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:39
S33	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:40
S34	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:40

S35	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:41
S36	26	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:42
S37	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:47
S38	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:53
S39	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:55

S40	52	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:55
S41	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 17:10
S42	4847	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:35
S43	31	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:35
S44	5	707/10.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:36
S45	7	707/3.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:36
S46	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:39

S47	39540	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S48	32219	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S49	24370	S48 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S50	6659	S49 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S51	6426	S50 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S52	2819	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S53	109	S52 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S54	65	S52 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S55	0	S52 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S56	75	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S57	26	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S58	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S59	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S60	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S61	937	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S62	39	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S63	33	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S64	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S65	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S66	0	(((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S67	0	(((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S68	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S69	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S70	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S71	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S72	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S73	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S74	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S75	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S76	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S77	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S78	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S79	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S80	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S81	28	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S82	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S83	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S84	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S85	56	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S86	14	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:06
S87	5344	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S88	33	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S89	5	707/10.ccls. and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S90	7	707/3.ccls. and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

S91	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:31
S92	802	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:13
S93	232	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:15
S94	158	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:15
S95	134	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:16
S96	21	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:17
S97	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:19
S98	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:19
S99	35	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:20

S100	9	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:20
S101	14	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:54
S102	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:54
S103	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:13
S104	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15
S105	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:31
S106	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15
S107	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15

S108	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 13:35
S109	4	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:22
S110	141	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:23
S111	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:23
S112	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:24
S113	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:24
S114	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:05
S115	42534	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S116	34598	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S117	24944	S116 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

S118	6850	S117 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S119	6614	S118 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S120	2885	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S121	110	S120 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S122	65	S120 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S123	0	S120 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S124	78	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S125	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S126	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

S127	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S128	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S129	964	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S130	43	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S131	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S132	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S133	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 21:40

S134	0	(((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S135	0	(((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S136	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S137	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S138	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S139	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

S140	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S141	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S142	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S143	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S144	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

S145	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S146	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S147	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S148	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S149	32	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S150	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S151	7	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S152	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S153	56	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S154	14	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S155	5758	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S156	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S157	5	707/10.ccls. and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S158	7	707/3.ccls. and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S159	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S160	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S161	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S162	32	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S163	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S164	7	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S165	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S166	56	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S167	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S168	5758	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S169	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S170	5	707/10.ccls. and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S171	7	707/3.ccls. and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S172	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S173	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S174	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S175	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S176	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S177	34598	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S178	24944	S177 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S179	6850	S178 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S180	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S181	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S182	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S183	42534	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S184	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S185	2885	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S186	110	S185 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S187	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S188	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S189	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S190	43	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S191	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S192	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:06

S193	964	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S194	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S195	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S196	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S197	6614	S179 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S198	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S199	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S200	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S201	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S202	65	S185 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S203	78	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S204	0	S185 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S205	232	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S206	803	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S207	158	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S208	134	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S209	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S210	35	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S211	21	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S212	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S213	14	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S214	9	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S215	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S216	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

S217	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S218	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S219	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S220	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S221	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S222	33	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:00
S224	1	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 11:59
S225	15	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:32
S226	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:01

S227	3	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:11
S228	22691	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:21
S229	1108	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:22
S230	1485	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:22
S231	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:23
S232	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:23
S233	2	((trans\$4 or copy or download) with client with server with files) and (delet \$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:24
S234	2340	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 14:57
S235	976	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:00

S236	311	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 11:47
S237	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 11:47
S238	4	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:19
S239	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:20
S240	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 23:57
S241	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 23:57
S242	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:07
S243	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S244	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S245	25617	S244 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07

S246	7067	S245 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S247	6825	S246 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S248	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S249	114	S248 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S250	67	S248 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S251	0	S248 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S252	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S253	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S254	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07

S255	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S256	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S257	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S258	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S259	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S260	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S261	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07

S262	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
S263	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S264	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S265	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S266	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S267	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S268	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S269	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S270	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S271	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S272	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S273	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S274	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S275	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S276	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S277	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S278	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S279	7	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S280	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S281	59	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S282	14	(((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S283	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S284	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S285	5	707/10.ccls. and S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S286	7	707/3.ccls. and S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S287	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S288	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S289	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S290	33	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S291	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S292	7	(((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S293	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S294	59	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S295	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S296	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S297	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S298	5	707/10.ccls. and S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S299	7	707/3.ccls. and S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S300	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S301	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S302	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S303	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S304	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S305	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S306	25617	S305 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S307	7067	S306 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S308	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S309	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S310	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S311	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S312	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S313	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S314	114	S313 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S315	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S316	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S317	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S318	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S319	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S320	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08

S321	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S322	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S323	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S324	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S325	6825	S307 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S326	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S327	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S328	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S329	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S330	67	S313 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S331	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S332	0	S313 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S333	249	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S334	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S335	172	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S336	145	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S337	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S338	36	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S339	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S340	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S341	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S342	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S343	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S344	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S345	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S346	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S347	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S348	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S349	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S350	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S351	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S352	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S353	5	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S354	144	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S355	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S356	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S357	25617	S356 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S358	7067	S357 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S359	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S360	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S361	114	S360 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S362	6825	S358 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S363	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S364	0	S360 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S365	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S366	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S367	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S368	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S369	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S370	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S371	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S372	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S373	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S374	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S375	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S376	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S377	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S378	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S379	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S380	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S381	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S382	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S383	5	707/10.ccls. and S382	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S384	7	707/3.ccls. and S382	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S385	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S386	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S387	33	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S388	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S389	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S390	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S391	25617	S390 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S392	7067	S391 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S393	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S394	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S395	5	707/10.ccls. and S389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S396	7	707/3.ccls. and S389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S397	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S398	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S399	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S400	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S401	114	S400 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S402	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S403	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S404	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S405	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S406	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S407	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S408	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S409	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S410	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S411	6825	S392 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S412	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S413	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S414	0	S400 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S415	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S416	172	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S417	145	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S418	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S419	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S420	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S421	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S422	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S423	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S424	67	S360 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S425	36	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S426	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S427	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S428	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S429	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S430	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S431	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S432	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S433	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S434	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S435	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S436	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S437	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S438	59	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S439	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S440	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S441	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S442	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S443	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S444	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S445	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S446	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S447	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S448	59	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S449	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S450	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S451	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S452	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S453	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) with (query or search)) and ((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S454	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

S455	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S456	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S457	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S458	67	S400 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S459	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S460	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S461	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S462	249	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S463	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08

S464	3	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S465	1	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S466	33	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S467	15	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S468	1108	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S469	22692	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S470	1485	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S471	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S472	0	((trans\$4 or copy or download) with client with server with files with (delet \$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08

S473	2	((trans\$4 or copy or download) with client with server with files) and (delet \$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S474	311	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S475	978	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 10:52
S476	2342	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S477	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S478	4	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S479	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
S480	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S481	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S482	1	subscribe\$1publish adj (model or channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 10:53

S483	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 11:46
S484	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S485	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S486	25617	S244 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S487	7067	S245 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S488	6825	S246 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S489	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S490	114	S248 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S492	0	S248 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S493	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46

S496	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S497	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S498	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S499	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S503	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S504	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46

S505	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S506	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S511	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S512	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S513	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46

S514	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S515	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S516	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:46
S517	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S518	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S524	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S525	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S526	5	707/10.ccls. and S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S527	7	707/3.ccls. and S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S528	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S530	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S531	33	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S537	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S538	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S539	5	707/10.ccls. and S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S540	7	707/3.ccls. and S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S541	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S542	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S545	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S546	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S547	25617	S305 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S548	7067	S306 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S549	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S552	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S553	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S554	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S555	114	S313 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S556	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S557	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S558	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S559	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S560	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S561	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 11:47
S562	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S564	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S566	6825	S307 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S568	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S572	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S573	0	S313 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S575	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S576	172	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S577	145	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S578	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S579	36	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S580	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S583	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S589	0	"20020095454" and (((search or query) near2 (provider adj database)) with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S590	0	"20020095454" and (((search or query) near2 (provider adj database)) same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S591	0	(PDA with (mail adj server)) with (local adj database) and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S593	0	PDA with (mail adj server) with (local adj database) with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S595	144	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S596	0	("((remoteorserver) withdatabase) and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 11:47
S597	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S598	25617	S356 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S599	7067	S357 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S600	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S601	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S602	114	S360 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S603	6825	S358 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S604	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S605	0	S360 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S606	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S607	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S608	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S609	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S610	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S611	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S612	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S613	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S614	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S615	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S616	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S617	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S618	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S619	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S620	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S621	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S622	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S623	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S624	5	707/10.ccls. and S382	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S625	7	707/3.ccls. and S382	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S626	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S627	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S628	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S629	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S630	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S631	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S632	25617	S390 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S633	7067	S391 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S634	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S635	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S636	5	707/10.ccls. and S389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S637	7	707/3.ccls. and S389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S638	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S639	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S640	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S641	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S642	114	S400 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S643	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S644	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S645	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S646	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S647	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S648	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S649	0	("((remoteorserver) withdatabase)and ((clientorlocal) withdatabase)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 11:47
S650	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S651	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S652	6825	S392 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S653	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47

S654	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S655	0	S400 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S656	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 11:47
S658	2	"20030110190" or "20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/25 21:27
S659	1	"20030110190" or "2003011190"	US-PGPUB	OR	ON	2008/05/25 21:29
S660	1	"20030110190" or "20030110190"	US-PGPUB	OR	ON	2008/05/25 21:29
S661	2	"20030110190" or "20030097358"	US-PGPUB	OR	ON	2008/05/25 21:29
S662	1	"20050108558" or "20050108558"	US-PGPUB	OR	ON	2008/12/01 16:33
S663	4	"20030110190" or "20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 16:33
S664	2	"20030110190" or "20050108558"	US-PGPUB	OR	ON	2008/12/01 16:33
S665	2	"20030110190" or "20030097358"	US-PGPUB	OR	ON	2008/12/01 16:34

12/ 1/ 2008 10:27:21 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\10782691.wsp